

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	112045	cell same (filler dummy access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:56
S2	321852	(current same path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:07
S3	9889	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 08:27
S4	1570	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 08:27
S5	406402	(current conduction interconnection) same (segment path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 08:29
S6	1570	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 08:29
S7	7	S4 and S5 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:06
S10	7075	(filler dummy access) adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:42

S11	3664	reconfigurat\$4 same (wir\$3 metal connection interconnection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:10
S12	19	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:10
S13	321852	current same path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:15
S14	830	S10 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:15
S16	268972	first same second same third same (segment path connection interconnection inter-connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:34
S17	170	S14 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:17
S18	145	S14 and S16 and @ad <"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:18
S19	7	S14 and S16 and @ad <"20031124" and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:30

S20	287747	first same second same third same (segment path connection interconnection inter-connection leg)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:35
S21	555	S10 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:36
S22	477	S21 and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:36
S23	26	S21 and @ad<"20031124" and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:36
S24	33955	(filler dummy access spac\$3) adj2 cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:42
S25	112255	current adj (path segment line metal interconnection connection inter-connection wir\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:44
S26	5246641	((first same second same third) or plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:45
S27	1584	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:46

S28	1462	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:46
S29	1244	S28 and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:47
S30	8	S28 and @ad<"20031124" and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:51
S31	18908	access\$3 adj2 cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:51
S32	1146854	interfac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:52
S33	334328	interfac\$3 and (path pathway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:52
S34	3199	S31 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:52
S35	63	S31 and S33 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:58

S37	686	stop adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:05
S38	81	S37 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:59
S41	1	(stop adj2 cell) and "716"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:06
S42	27	(stop\$5 adj2 cell) and "716"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:07
S43	320	filler adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:07
S44	231	filler adj cell and structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:08
S45	53	filler adj cell same structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:09
S46	12	filler adj cell same structure and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:17

S47	291	(filler dummy spacer stop)adj cell same (path or pathway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:18
S48	117	(filler dummy spacer stop)adj cell same (path or pathway) same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:18
S49	108	(filler dummy spacer stop)adj cell same (path or pathway) same current and @ad<"22031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:19
S50	1	(filler dummy spacer stop)adj cell same (path or pathway) same current and @ad<"22031124" and "716"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:19
S52	9	(filler dummy spacer stop)adj cell same (path or pathway) and @ad<"22031124" and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:23
S53	3654	(access stop)adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:25
S54	2265322	pathway or path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:25
S55	1735	S53 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:26

S56	178	S53 same S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:26
S57	132	S53 same S54 and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:40
S58	9	S53 same S54 and @ad<"20031124" and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:26
S59	2	"5618744".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:41
S60	2	"5618744".pn. and cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:07
S61	2989	access adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:13
S62	1146854	interfac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:11
S63	1044	S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:11

S64	136	S61 same S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:12
S65	2	S61 same S62 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:12
S66	3654	(stop access) adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:13
S67	1166	(stop access) adj cell and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:21
S68	29	(stop access) adj cell and S62 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:14
S69	291	((filler dummy spacer stop)adj cell)same (path or pathway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:30
S70	178	((access stop)adj cell)same (path or pathway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:34
S71	9	((access stop)adj cell)same (path or pathway) and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:57

S72	9	((access stop)adj cell)same (path or pathway or conductive adj segment) and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:47
S73	205	(conductive adj segment) same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:08
S74	28	(conductive adj segment) same cell and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:48
S75	1759	(conductive adj segment line) same cell and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:52
S76	686	(stop or access) adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:52
S77	2265322	(path or pathway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:53
S78	339	S76 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:54
S79	32	S76 same S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:56

S80	12	S76 same S77 and current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:56
S83	10	((access stop)adj cell)same (path or pathway or segment) and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:57
S84	17	((access stop spac\$3)adj cell)same (path or pathway or segment) and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:23
S85	586	((access stop spac\$3)adj cell)same (path or pathway or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:23
S86	102	((access stop spac\$3)adj cell)same (path or pathway or segment)same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:34
S87	44	((access stop spac\$3)adj cell)same (path or pathway or segment)same current and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:26
S88	45	((access stop spac\$3 filler)adj cell)same (path or pathway or segment)same current and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:26
S89	19	((access stop spac\$3 filler)adj cell)same (path or pathway or segment)same metal and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:27

S90	4	((access stop spac\$3 filler)adj cell)same (path or pathway or segment)same metal and @ad<"20031124" and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:29
S91	23	((access stop spac\$3 filler)adj cell)same (path or pathway or segment) and @ad<"20031124" and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:31
S92	10	(access adj cell)same (path or pathway or segment) and @ad<"20031124" and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:31
S93	6419	(access\$3 stop)adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:37
S94	70693	current adj (pathway or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:36
S95	200	S93 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:36
S96	2	S95 and "20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:36
S97	12054	(access\$3 stop filler spac\$3)adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:37

S98	3760	(access\$3 stop filler spac\$3)adj cell and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:38
S99	5275	(access\$3 stop filler spac\$3)adj cell and (pathway or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:38
S10 0	92	(access\$3 stop filler spac\$3)adj cell and (pathway or path) and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:38
S10 1	90	(access\$3 stop filler spac\$3)adj cell and (pathway or path) and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:39
S10 2	101	(access\$3 stop filler spac\$3)adj cell and (pathway or path or segment) and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:39
S10 3	82	(access\$3 stop filler spac\$3)adj cell and (pathway or path or segment) and (current or conductive) and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:46
S10 4	1385937	access or stop adj cell same layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:47
S10 5	1385937	access or stop adj cell same layout and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:47

S10 6	10	((access or stop) adj cell) same layout and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:30
S11 0	6	((access or stop) adj cell) same layout and "716"/\$.ccls. and cell adj design	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:32
S11 1	3138	connecting adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:32
S11 2	283	connecting adj cell same (path pathway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:33
S11 3	11	connecting adj cell same (path pathway) and reconfigurat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:34
S11 4	0	connecting adj cell same (path pathway) and reconfigurat\$3 adj connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:34
S11 5	3	connecting adj cell same (path pathway) and reconfigurat\$3 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:35
S11 6	9314	(access spac\$3 stop filler) adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:36

S11 7	487	(access spac\$3 stop filler) adj cell same (path pathway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:36
S11 8	274	(access spac\$3 stop filler) adj cell same (path pathway) and current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:37
S11 9	233	(access spac\$3 stop filler) adj cell same (path pathway) and current and connect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:37
S12 0	10	(access spac\$3 stop filler) adj cell same (path pathway) and current and connect\$3 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:37
S12 3	1	"5618744".pn. and dummy adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:56
S12 4	478969	(block cell) same (filler dummy access stop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:57
S12 5	5720	reconfigurat\$4 same (wir\$3 line segment metal connection interconnection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:02
S12 6	113	S124 same S125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:00

S12 7	94	S124 same S125 and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:01
S12 8	3	S124 same S125 and @ad<"20031124" and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:01
S12 9	10951947	(wir\$3 line segment metal connection interconnection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:02
S13 0	411108	S124 and S129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:04
S13 1	1809	S124 and S129 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:06
S13 2	210776	S124 same S129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:07
S13 3	648	S124 same S129 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:07
S13 4	587	S124 same S129 and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:08

S13 5	12	S134 and leg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:09
S13 6	35604	(access stop filler dummy spac\$3) adj2 cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:10
S13 7	2265967	path or pathway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:10
S13 8	1837	S136 same S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:11
S13 9	3740137	(leg segment line wir\$3 metal) same (connect\$3 interconnect\$3 inter-connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:14
S14 0	455	S138 same S139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:14
S14 1	9	S138 same S139 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:52
S14 2	1066	stop\$3 adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:53

S14 3	3	stop\$3 adj cell and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:04
S14 4	1	stop\$3 adj cell and "716"/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:23
S14 5	562	cell and "716"/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:05
S14 6	439	(connect\$3 or interconnect\$3) same cell and "716"/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:05
S14 8	10	(connect\$3 or interconnect\$3) same ((stop\$4 spac\$3 filler)adj cell) and "716"/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:12
S14 9	35	(connect\$3 or interconnect\$3) same ((stop\$4 spac\$3 filler)adj cell) and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:13
S15 0	1	stop\$3 adj cell and "716"/12.ccls. and (leg or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:24
S15 1	3	stop\$3 adj3 cell and "716"/12.ccls. and (leg or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:24

S15 2	79	(path pathway) same cell and "716"/12.ccls. and (leg or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 15:12
S15 3	11	(path pathway) same cell and "716"/12.ccls. and (leg or segment) and interconnection same delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 18:33
S15 4	1145	(reconfigurat\$4 restructurable) same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 18:34
S15 5	42	(reconfigurat\$4 restructurable) same cell and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 18:57
S15 6	1712	delay same cell same (interconnection segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 18:58
S15 7	164	delay same cell same (interconnection segment) and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 18:59
S15 8	156	delay same cell same (interconnection segment) and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:01
S15 9	841	cell with (interconnection segment) and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:04

S16 0	538	crosstalk same cell same (line segment interconnection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:04
S16 1	22	crosstalk same cell same (line segment interconnection) and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:15
S16 2	920	reconfigurable same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:15
S16 3	51	reconfigurable same cell and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:19
S16 4	19029	(line segment interconnect\$3 inter-connect\$3) same cell same stop\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:22
S16 5	189	(line segment interconnect\$3 inter-connect\$3) same stop\$4 adj cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:22
S16 6	3	(line segment interconnect\$3 inter-connect\$3) same stop\$4 adj cell and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:28
S16 7	490	(line segment interconnect\$3 inter-connect\$3) same cell same delay and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:28

S16 8	450	(line segment interconnect\$3 inter-connect\$3) same cell same delay and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 19:28
S17 1	207	multiple adj2 cell same interconnection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:33
S17 2	14	multiple adj2 cell same interconnection and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:34
S17 3	75	multiple same cell same interconnection and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:34
S17 4	71	multiple same cell same interconnection and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:35
S17 5	26	multiple same cell near4 interconnection and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:36
S17 6	40	metal same layer same cell near4 interconnection and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:55
S17 7	96	metal same layer same cell same interconnection and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:56

S17 8	3	metal same layer same cell same interconnection same cut\$4 and "716"/\$.ccls. and @ad<"20031124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:20
S17 9	2	laser adj2 personaliz\$3 same gate same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 07:46
S18 1	0	laser adj2 personaliz\$3 same gate same array same interconnect\$3 same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 07:46
S18 2	0	laser same personaliz\$5 same gate same array same interconnect\$3 same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 07:47
S18 3	40	laser same gate same array same interconnect\$3 same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:51